Chem 108: Lab

Week 11

Sign in

To do with Fermentation partner:

Alcohol Distillation

Turn in 7-Solution Report form

and

Post Lab Questions

---

7 Solutions Report pp. 76-80
& Post Lab Questions
Due Today



Chem 108 / Dr. Rusay

Names: ____________________

Post Lab Questions: 7-Solution Problem
http://chemconnections.org/general/chem120/solutions-mixes.108.html

1. If the maximum concentration of a saturated sodium chloride solution is 5.9M, how many liters of water would a Peruvian salt farmer need to process in order to produce one 50.0 kilogram bag of salt. (Assume that there are no other salts present. Show your calculation.)

2. If the Peruvian water has a TDS of 10.0 grams per liter of water, would it be within the safe limits of drinking water by U.S. standards? (Explain your answer.)

3. The following table includes chemicals that may be found in tap water. Complete the table for allowable limits.

	Allowable Limit
Nitrate	
Fluoride	
Mercury	
Lead	

4. What were the highest tested levels of lead in Flint Michigan's drinking water during the crisis?

5. What was the length of time that Flint residents were exposed to higher than allowable levels of lead?

6. What are the neurological effects of lead exposure particularly on children and infants?

Solutions

- ✿ Homogeneous solutions are comprised of solute(s), the substance(s) dissolved, [The lesser amount of the component(s) in the mixture], and
- ✿ solvent, the substance present in the largest amount.
- ✿ Solutions with less solute dissolved than is physically possible are referred to as "unsaturated". Those with a maximum amount of solute are "saturated".
- ✿ Occasionally there are extraordinary solutions that are "supersaturated" with more solute than normal

Concentration and Temperature



Relative Solution Concentrations:
Saturated
Unsaturated
Supersaturated

Dilute
Concentrated

A solution of 35g of potassium chloride in 100g H_2O @ 25°C is Saturated & Concentrated; @ 75°C it is Unsaturated but Concentrated.

QUESTION

What describes a solution of 25.0g NaCl in 0.100L of H_2O @ 10°C?

A) Dilute
B) Concentrated
C) Saturated
D) Unsaturated



Answer

What describes a solution of 25.0g NaCl in 0.100L of H_2O @ 10°C?

A) Dilute
B) Concentrated
C) Saturated
D) Unsaturated



QUESTION

What describes a solution of 100.0g sucrose in 0.100L of H_2O @ 10°C?

A) Dilute

B) Concentrated

C) Saturated

D) Unsaturated



ANSWER

What describes a solution of 100.0g sucrose in 0.100L of H_2O @ 10°C?

A) Dilute

B) Concentrated

C) Saturated

D) Unsaturated



DHMO, dihydromonoxide : "The Universal" Solvent

http://www.dhmo.org



Water : "The Universal" Solvent

The oil (nonpolar) and water (polar) mixture don't mix and are **immiscible**. If liquids form a homogeneous mixture, they are **miscible**.

Gene
nonp
oil an
ıd
g.



QUESTION

An unknown substance dissolves readily in water but not in benzene (a nonpolar solvent). Molecules of what type are present in the substance?

a) neither polar nor nonpolar

b) polar

c) either polar or nonpolar

d) nonpolar

e) none of these

ANSWER

An unknown substance dissolves readily in water but not in benzene (a nonpolar solvent). Molecules of what type are present in the substance?

a) neither polar nor nonpolar

b) polar

c) either polar or nonpolar

d) nonpolar

e) none of these

Salt dissolving in a glass of water



Preparation of Solutions used in chemistry



Molarity (M) = Moles solute / Liter (Solution)

Recovering a Solute?



How can a NaCl be separated from a solution?
http://chemconnections.org/crystals/

Solution Concentration

- Concentration in chemistry is expressed as molarity **(M)**.

  Molarity (M) = Moles solute / Liter (Solution)
- An important relationship is **M x $V_{solution}$ = mol**
- This relationship can be used directly in mass calculations of chemical reactions.
- What is the molarity of a solution of 1.00 g KCl in 75.0 mL of solution?

M_{KCl} = [1.00g $_{KCl}$ / 75.0mL][1mol$_{KCl}$ / 74.55 g $_{KCl}$][1000mL / L]
= 0.18 mol$_{KCl}$ / L

QUESTION

20.0-g of HF [MM = 20.0 g/mol] was dissolved in water to give 2.0 x 10^2 mL of HF(aq), a weak acid solution. The concentration of the solution is:

a) 1.0 M

b) 3.0 M

c) 0.10 M

d) 5.0 M

e) 10.0 M

ANSWER

20.0-g of HF [MM = 20.0 g/mol] was dissolved in water to give 2.0 x 10^2 mL of HF(aq), a weak acid solution. The concentration of the solution is:

a) 1.0 M

b) 3.0 M

c) 0.10 M

d) 5.0 M

20.0g x mol / 20.0g x 1/ 200mL x 1000mL/ L

e) 10.0 M

Seven Solutions Post Lab Questions
http://chemconnections.org/general/chem120/solutions-mixes.108.html

QUESTION

Solutions: molarity & volume → mass

How many grams of NaCl are contained in 350. mL of a 0.250 M solution of sodium chloride?

A) 41.7 g
B) 5.11 g
C) 14.6 g
D) 87.5 g
E) None of these

ANSWER

B) 5.11 g

Seven Solutions Post Lab Questions
http://chemconnections.org/general/chem120/solutions-mixes.108.html

Volume (L) times concentration (mol/L) gives moles. Moles are then converted to grams.

Chemical Reactions

To DO Today

Separating the Ethanol Produced

Fermentation / Distillation pp.63-67

http://www.piney.com/BabNinkasi.html)

http://chemconnections.org/general/chem108/Beer-Ninkasi-Dana%20Garves.pdf

Biological Reactions: Enzyme Catalysts

Fermentation / Distillation

Energy: Heat: Enthalpy (ΔH)



Water : "The Universal" Solvent

The oil (nonpolar) and water (polar) mixture don't mix and are **immiscible**. If liquids form a homogeneous mixture, they are **miscible**. The ethanol product is **miscible** in water and both will vaporize.

Gene
nonpo
oil an



Distillation

http://chemconnections.org/general/movies/html-swf/oil-refining.swf





Oil Refining:
http://science.howstuffworks.com/oil-refining4.htm

QUESTION

Answer either: A) endothermic, or: B) exothermic for each of the following 5 changes of physical state.

1. Fusion
2. Vaporization — A) exothermic
3. Condensation
4. Sublimation
5. Liquid → Solid

Theoretical & Percent Yield

http://chemconnections.org/general/movies/html-swf/oil-refining.swf



Density and Percent Alcohol of the Distillate

While the distillate is cooling weigh a clean dry vial and cap or small beaker and record the mass. Obtain a 20 or 25 mL pipet (each partner should have a vial or small beaker and each partner must use a different volume) and rinse it thoroughly with deionized water. Draw distillate into the pipet until the bulb is about one-third full. Rinse all parts of the pipet with the distillate and return the it to the distillate in the flask. You don't want to discard any alcohol at this point. Rinse the pipet a second time with distillate and return it to the flask. Pipet 20 or 25 mL of distillate (depending on the volume of your pipet) into the weighed vial and cap the vial or into a small beaker. Weigh the vial or beaker and contents and record the mass. If your density and your partner's don't agree within 0.005 g/mL repeat the procedure. When you have two densities that agree, record your partner's density and average them. Determine the percent alcohol to 0.1 % from the table of densities.

The ethanol produced in the fermentation is distilled along with the water used. The liquid collected is ethanol mixed in with the water, which is the solvent. The amount dissolved will be calculated by experimentally determining the solution's density.

What is a solution's concentration?

Solution Concentrations

Concentration is a measure of the amount of solute dissolved.

$$\text{molarity} = M = \frac{\text{moles solute}}{\text{liters solution}}$$

Some other common units include percentage by mass, percentage by volume, (which relates to alcoholic proof), parts per million, parts per billion, and molality. The definition of each provides the basis for calculations with that unit.

$$\%\text{ by mass} = \frac{\text{mass solute}}{\text{mass solution}} \times 100$$

$$\%\text{ by volume} = \frac{\text{volume solute}}{\text{volume solution}} \times 100$$

[Proof = % by volume x 2]

$$\text{parts per million} = \text{ppm} = \frac{\text{mass solute}}{\text{mass solution}} \times 10^6$$

$$\text{parts per billion} = \text{ppb} = \frac{\text{mass solute}}{\text{mass solution}} \times 10^9$$

$$\text{molality} = m = \frac{\text{moles solute}}{\text{kilograms solvent}}$$

Solution Concentrations

- ✿ Concentration in mass percent is common.

Mass % = Mass solute / [Mass solute + Mass solvent] x100

- ✿ What is the mass % of 65.0 g of glucose dissolved in 135 g of water?

Mass % = 65.0 g / [65.0 + 135]g x 100

= 32.5 %

% Ethanol from Density

PERCENT ETHANOL FOR VARIOUS DENSITIES

% ethanol by mass	Density (g/mL)	% ethanol by mass	Density (g/mL)	% ethanol by mass	Density (g/mL)
0.0	0.998	35.0	0.945	69.0	0.870
1.0	0.996	36.0	0.943	70.0	0.868
2.0	0.995	37.0	0.941	71.0	0.865
3.0	0.993	38.0	0.939	72.0	0.863
4.0	0.991	39.0	0.937	73.0	0.860
5.0	0.989	40.0	0.935	74.0	0.858
6.0	0.988	41.0	0.933	75.0	0.856
7.0	0.986	42.0	0.931	76.0	0.853
8.0	0.985	43.0	0.929	77.0	0.851
9.0	0.983	44.0	0.927	78.0	0.848
10.0	0.982	45.0	0.925	79.0	0.846
11.0	0.980	46.0	0.923	80.0	0.843
12.0	0.979	47.0	0.920	81.0	0.841
13.0	0.978	48.0	0.918	82.0	0.838
14.0	0.976	49.0	0.916	83.0	0.836
15.0	0.975	50.0	0.914	84.0	0.833
16.0	0.974	51.0	0.912	85.0	0.831
17.0	0.973	52.0	0.909	86.0	0.828
18.0	0.971	53.0	0.907	87.0	0.826
19.0	0.970	54.0	0.905	88.0	0.823
20.0	0.969	55.0	0.903	89.0	0.821
21.0	0.967	56.0	0.900	90.0	0.818
22.0	0.966	57.0	0.898	91.0	0.815
23.0	0.965	58.0	0.896	92.0	0.813
24.0	0.963	59.0	0.893	93.0	0.810
25.0	0.962	60.0	0.891	94.0	0.807
26.0	0.960	61.0	0.889	95.0	0.804
27.0	0.959	62.0	0.887	96.0	0.801
28.0	0.957	63.0	0.884	97.0	0.798
29.0	0.955	64.0	0.882	98.0	0.795
30.0	0.954	65.0	0.879	99.0	0.792
31.0	0.952	66.0	0.877	100.0	0.789
32.0	0.950	67.0	0.875		
33.0	0.949	68.0	0.872		
34.0	0.947				

Fermentation – Distillation 65

Calculations

Determination of Percent Yield

From the density, volume, and percent alcohol of the distillate, calculate the actual yield in grams of ethanol. From the balanced equation for the reaction, given in the background, and the mass of sucrose fermented, calculate the theoretical yield. Finally, calculate the percent that the actual yield is of the theoretical.

$$C_{12}H_{22}O_{11} + H_2O \rightarrow 4\ C_2H_5OH + 4\ CO_2$$

sucrose ***ethanol***





Example

Reactant:

	g (grams)
Mass, sucrose + container	
- Mass container (Tare)	
Mass, sucrose	24.55g

Simple Distillation:

Temperature Range	°C to °C
Volume of Distillate Collected (mL)	52.2 mL

Density, Mass & Percent Yield of Alcohol in the Distillate: 9.90g/10.00mL

Volume of pipet (mL)	
Mass of beaker + distillate (grams)	
Mass of beaker (grams)	
Mass of distillate (grams)	
Density (g/mL)	0.990 g/mL
% Percent ethyl alcohol (from Table)	
Total mass of ethyl alcohol produced (calculated)	
% Percent Yield ethyl alcohol (calculated)	

4.5 %

0.990 g/mL

PERCENT ETHANOL FOR VARIOUS DENSITIES

% ethanol by mass	Density (g/mL)	% ethanol by mass	Density (g/mL)	% ethanol by mass	Density (g/mL)
0.0	0.998	35.0	0.945	69.0	0.870
1.0	0.996	36.0	0.943	70.0	0.868
2.0	0.995	37.0	0.941	71.0	0.865
3.0	0.993	38.0	0.939	72.0	0.863
4.0	0.991	39.0	0.937	73.0	0.860
5.0	0.989	40.0	0.935	74.0	0.858
6.0	0.988	41.0	0.933	75.0	0.856
7.0	0.986	42.0	0.931	76.0	0.853
8.0	0.985	43.0	0.929	77.0	0.851
9.0	0.983	44.0	0.927	78.0	0.848
10.0	0.982	45.0	0.925	79.0	0.846
11.0	0.980	46.0	0.923	80.0	0.843
12.0	0.979	47.0	0.920	81.0	0.841
13.0	0.978	48.0	0.918	82.0	0.838
14.0	0.976	49.0	0.916	83.0	0.836
15.0	0.975	50.0	0.914	84.0	0.833
16.0	0.974	51.0	0.912	85.0	0.831
17.0	0.973	52.0	0.909	86.0	0.828
18.0	0.971	53.0	0.907	87.0	0.826
19.0	0.970	54.0	0.905	88.0	0.823
20.0	0.969	55.0	0.903	89.0	0.821
21.0	0.967	56.0	0.900	90.0	0.818
22.0	0.966	57.0	0.898	91.0	0.815
23.0	0.965	58.0	0.896	92.0	0.813
24.0	0.963	59.0	0.893	93.0	0.810
25.0	0.962	60.0	0.891	94.0	0.807
26.0	0.960	61.0	0.889	95.0	0.804
27.0	0.959	62.0	0.887	96.0	0.801
28.0	0.957	63.0	0.884	97.0	0.798
29.0	0.955	64.0	0.882	98.0	0.795
30.0	0.954	65.0	0.879	99.0	0.792
31.0	0.952	66.0	0.877	100.0	0.789
32.0	0.950	67.0	0.875		
33.0	0.949	68.0	0.872		

Example

24.55g

52.2 mL

Theoretical Yield Calculation

24.55g *?g* (theoretical)

$$C_{12}H_{22}O_{11} + H_2O \rightarrow \mathbf{4}\ C_2H_5OH + 4\ CO_2$$

sucrose ***ethanol***

Molar mass = 342.3 g/mol Molar mass = 46.07 g/mol

? mol *sucrose* = 24.55 g / 342.3 g/mol = 0.07172 mol

? mol C_2H_5OH = *4* x mol *sucrose* = 0.2869 mol

?g (theoretical) = mol C_2H_5OH x 46.07 g/mol = 13.22 g

? g (actual) = [*4.5 %*, that is: 4.5/100] x *52.2 mL x 0.990 g/mL* = 2.33g

% Yield = g (actual) / g (theoretical) x 100 = 17.6 %

Theoretical & Percent Yield



Experimentation:

Doing:
Laboratory Manual Fermentation-Distillation Procedure pp. 63-64;
Report Form pp. 66-67; DUE: Next Week (Show Dr. R. distillate before disposing down the drain & have data initialed before leaving lab today.)
POST LAB Questions DUE: Next Week

POST LAB Questions DUE: Next Week

http://chemconnections.org/general/chem120/ethanol-ques-108.htm





https://www.youtube.com/watch?v=P--6LEbksds

https://www.centeronaddiction.org/

https://www.centeronaddiction.org/