

Chem 108: Lab
Week 7
Experiment:
What's My Formula?
Sign in; PICK UP papers,
Check Group # on the roster, and go to that Group's lab location below.

Front of Lab

B

C

D

E

F

G

Introduce yourself to your Group members.

Divide raw score by 115 and multiply by 100 for Normalized %.

Percentage	# of Grades
90	10
80	5
70	6
60	12
50	8
40	6
30	1

WEDS. lab-
Pick up Exam 1
from the
Pendaflex file

Class Average = 70.0 % (Normalized)
 StdDev = +/-18

Pick up Notes & P.T. if you turned them in.

Experiment 4: Hydrates
DUE Today

- **Report Form:** *One form for each lab partner who did the unknown from last week are both to be turned in; Place your partner's name next to yours & staple forms together.*
- Check sig figs are correct and units included
- Show calculations
- Answer post lab question; show calculation.

Include completed Replacement Page (pg. 29)

Nomenclature:
 Entire Group is to turn in one set of Lab manual pages 109-114 with the names of only those who contributed.

Report Form - DUE End of Next Lab

Hydrates Report
 include the 2 Replacement pgs.: pp. 29
 with the Report

Determination of Percent Water in a Hydrate

Librarian number	
Mass, crucible + lid + hydrate sample	
Mass, crucible + lid	
Mass, hydrate sample*	
Percent water in hydrate*	

1) Name the following hydrates:

$\text{CuSO}_4 \cdot 6\text{H}_2\text{O}$
 $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$
 $\text{CuSO}_4 \cdot 6\text{H}_2\text{O}$

2) Write formulas for the following hydrates:

Sodium dihydrogenphosphate nonahydrate
 Potassium chromate tetrahydrate
 Lead (II) acetate trihydrate

Hydrate: % Water
 EPSOM SALT(s)

$\text{MgSO}_4 \cdot X\text{H}_2\text{O}(s)$

$X = ?$ [Possibilities: $X = 1, 4, 5, 6, 7$]

$\text{MgSO}_4 \cdot X\text{H}_2\text{O}(s) \rightarrow \text{MgSO}_4(s) + X\text{H}_2\text{O}(g)$


Mass sample Mass after heating Mass sample - Mass after heating

% H₂O = (Mass sample - Mass after heating) / Mass sample x 100

An "Epsom" salt sample (A) of 10.00 g was heated and re-heated until it reached a "constant" mass of 5.70 g. What is the % water in the sample?


An "Epsom" salt sample (B) of 10.00 g was heated and re-heated until it reached a "constant" mass of 4.88 g. What is the % water in the sample?

How can you identify (A) and (B) among the 5 choices?



<http://chemconnections.org/general/chem108/Mole%20Guide.html>
Moles & Mass

How big is a mole?
 (Not the animal, the other one.) - Daniel Dulek



<https://www.youtube.com/watch?v=TEI4jeETVmg>

The Mole

- Definition: The number of carbon atoms in exactly 12 grams of pure ^{12}C . The number equals 6.02×10^{23} atoms.
- ✓ 1 mole = 6.02×10^{23} units of anything
- 6.02×10^{23} “units” of atoms, people, ants, stars, \$\$\$s, etc., etc. = **1 mole**

There are about 7.7 billion people in the world.
(~300,000 being added every day.)
How many moles of people are there?

<https://www.worldometers.info/world-population/>


The Mole

There are about 7.7 billion people in the world.
(+300 million since the spring.)
How many moles of people are there?

- 6.02×10^{23} “units” of atoms, people, ants, stars, \$\$\$s, etc., etc. = **1 mole**

$$\frac{7.7 \times 10^9 \text{ people}}{6.02 \times 10^{23} \text{ people}} \times \frac{1 \text{ mol}}{6.02 \times 10^{23} \text{ people}} = 1.3 \times 10^{-14} \text{ mol}$$

Counting by Weighing




A 12 red marbles @ 7g each = 84g
12 yellow marbles @ 4g each = 48g

B 55.85g Fe = 6.022×10^{23} atoms Fe
32.07g S = 6.022×10^{23} atoms S

Consult the Periodic Table

Relative Masses of 1 Mole

CaCO_3
Name?
100.09 g
Oxygen
32.00 g
Copper
63.55 g
Water
18.02 g



What is the volume of 1 mole of water?

Atomic and Molecular Weights Mass Measurements

– DEFINITION: mass of ^{12}C = exactly 12 amu.

– Using atomic mass units:

- **1 amu** = 1.66054×10^{-24} g
- **1 g** = 6.02214×10^{23} amu

Atomic and Molecular Weights Mass Measurements

<https://www.youtube.com/watch?v=yppb9Zi5Tao&list=PLE7B4FAD08F1EBCE2>

– DE

actly 12



IT'S ALL ABOUT
CARBON



Recent Unitt
describe ecc

wildfires, hurricanes, typhoons, accelerated extinctions, and a mass die-off of coral reefs as soon as 2040 due to an increase in temperature by as much as 2.7 degrees Fahrenheit (1.5 degrees Celsius)

inues to
s, increased

<http://www.ipcc.ch/report/sr15/>


<https://www.pbs.org/newshour/show/world-needs-to-make-near-revolutionary-change-to-avoid-imminent-climate-disaster-is-there-hope>

<https://www.pbs.org/newshour/show/world-needs-to-make-near-revolutionary-change-to-avoid-imminent-climate-disaster-is-there-hope>

FEMA has provided at least \$81 billion to state, territorial and local governments in response to declared disasters since 1992: to rebuild in place, often in defiance of the effects of climate change.

Camp Fire: Damage assessment
Camp Fire CA
November 2018

<https://www.pbs.org/newshour/show/world-needs-to-make-near-revolutionary-change-to-avoid-imminent-climate-disaster-is-there-hope>



<https://www.youtube.com/watch?v=KAJsdgTPJpU>

Greta Thunberg sings Swedish Death Metal

<https://www.youtube.com/watch?v=CLxpgRqxtEA>

Atomic and Molecular Weights

- **Formula Weight** a.k.a. **Molecular Weight**
- **Formula weights (FW):** sum of **Atomic Weights (AW)** for atoms in formula.
- $FW(H_2SO_4) = 2AW(H) + AW(S) + 4AW(O)$
- $= 2(1.0 \text{ amu}) + (32.0 \text{ amu}) + 4(16.0 \text{ amu})$
- $= 98.0 \text{ amu}$

Atomic and Molecular Weights

- **Molecular weight (MW) is the weight of the molecular formula in amu.**
- **MW of sugar (C₆H₁₂O₆) = ?**
- **MW = 6(12.0 amu) + 12(1.0 amu) + 6(16.0 amu)**
- **= 180 amu**

Molar Mass

(amu/mol = grams/mol)

- A substance's **molar mass** is the mass in grams of one mole of the element or compound. (Equals the formula weight: atomic or molecular weight in grams)

Molar Mass CO₂ = ?

C = 12.01 grams per mole (g/mol)
O = 16.00 grams per mole (g/mol)

CO₂ = 44.01 grams per mole (g/mol)
12.01 + 2(16.00) = 44.01 g/mol

Calculate the molar mass of magnesium sulfate.

What do you need ?

- 1) Formula of magnesium sulfate: MgSO₄
- 2) Atomic Weights Mg = 24.31, S = 32.07, O = 16.00

$$24.31 \text{ g/mol} + 32.07 \text{ g/mol} + 4(16.00 \text{ g/mol}) = \boxed{120.38 \text{ g/mol}}$$

Calculate the mass in grams of 4.00 moles of water.

What do you need ?

Atomic Weight H₂O (2H=1.0 x2) + (O=16.0)
(molar mass) = 18.0 g/mol

$$4 \cancel{\text{mol}}_{\text{sulfur}} \times 18.0 \text{ g}/\cancel{\text{mol}}_{\text{sulfur}} = \boxed{72.0 \text{ g}}$$

Calculate the mass in grams of 0.100 moles of magnesium sulfate hydrate.

What do you need ?

Atomic Weight MgSO₄ · H₂O = **120.38 + 18.02**
(molar mass) = 138.40 g/mol

$$0.100 \cancel{\text{mol}}_{\text{MgSO}_4 \cdot \text{H}_2\text{O}} \times 138.40 \text{ g}/\cancel{\text{mol}}_{\text{MgSO}_4 \cdot \text{H}_2\text{O}} = \boxed{13.84 \text{ g}}$$

Calculate the mass in grams of 0.100 moles of magnesium sulfate tetrahydrate.

What do you need ?

Atomic Weight MgSO₄ · 4H₂O = **120.38 + 4(18.02)**
(molar mass) = 192.44 g/mol

$$0.100 \cancel{\text{mol}}_{\text{MgSO}_4 \cdot \text{H}_2\text{O}} \times 192.44 \text{ g}/\cancel{\text{mol}}_{\text{MgSO}_4 \cdot \text{H}_2\text{O}} = \boxed{19.244 \text{ g}}$$

Percent Composition

- Mass percent of an element:

$$\text{mass \%} = \frac{\text{mass of element in compound}}{\text{mass of compound}} \times 100\%$$

- For iron in iron (III) oxide = ? Fe_2O_3

$$\text{mass \% Fe} = \frac{111.69}{159.69} \times 100\% = 69.94\%$$

Which iron ore would you buy: one high in Fe_2O_3 or one high in iron (II) oxide?




$$55.84 / 71.84 \times 100 = 77.7\%$$

Formulas: Multiple Proportions



<http://chemconnections.org/general/movies/multiple-proportions.MOV>

Hydrate: % Water EPSOM SALT(s)



$$X = ? \text{ [Possibilities: } X = 1, 4, 5, 6, 7 \text{]}$$



$$\% \text{H}_2\text{O} = (\text{Mass sample} - \text{Mass after heating}) / \text{Mass sample} \times 100$$

An "Epsom" salt sample (A) of 10.00 g was heated and re-heated until it reached a "constant" mass of 5.70 g. What is the % water in the sample?

An "Epsom" salt sample (B) of 10.00 g was heated and re-heated until it reached a "constant" mass of 4.88 g. What is the % water in the sample?

How can you identify (A) and (B) among the 5 choices?



Percent Composition

Calculate the percent water in magnesium sulfate pentahydrate.

What do you need ?

$$\begin{array}{r} \text{Atomic Weight MgSO}_4 \cdot 5 \text{H}_2\text{O} = 120.38 + 5(18.02) \\ \text{(molar mass)} \qquad \qquad \qquad = 210.46 \text{ g/mol} \end{array}$$


Calculate the percent water in "Epsom" salt, magnesium sulfate heptahydrate

What do you need ?

$$\begin{array}{r} \text{Atomic Weight MgSO}_4 \cdot 7\text{H}_2\text{O} = 120.38 + 7(18.02) \\ \text{(molar mass)} \qquad \qquad \qquad = 246.49 \text{ g/mol} \end{array}$$

$5(18.02) / 210.46$	$7(18.02) / 246.49$
$\times 100 =$	$\times 100 =$
42.8%	51.2%

Hydrate: % Water EPSOM SALT(s)



$$X = ? \text{ [Possibilities: } X = 1, 4, 5, 6, 7 \text{]}$$




$$\% \text{H}_2\text{O} = (\text{Mass sample} - \text{Mass after heating}) / \text{Mass sample} \times 100$$

	Hydrate	% H ₂ O	% MgSO ₄
	MgSO ₄ ·H ₂ O	13.0	87.0
	MgSO ₄ ·4H ₂ O	37.4	62.6
A	MgSO ₄ ·5H ₂ O	42.8	57.2
	MgSO ₄ ·6H ₂ O	47.3	52.7
B	MgSO ₄ ·7H ₂ O	51.2	48.8



"Salt" / NIF / Fusion

What is "salt"?



5 grams of hydrogen will produce enough energy to boil over 1,000 gallons of water

Nomenclature / Naming

- Nomenclature: the unambiguous naming of compounds/ molecules
- Governed by the IUPAC: *International Union of Pure and Applied Chemistry*
- International rules are updated periodically

https://www.iupac.org/fileadmin/user_upload/databases/Red_Book_2005.pdf

Organic and Inorganic compounds/ molecules have separate naming rules.

Today's Experiment What's My Formula?

Nomenclature & Formulas

<http://www.chemconnections.org/general/chem108/Nomenclature.htm>

Reactant (Possible Unknowns)	Salt Product
a) sodium hydrogen carbonate	Na_2CO_3 name: ?
b) potassium hydrogen carbonate	K_2CO_3 name: ?
c) barium chloride dihydrate	BaCl_2 name: ?
d) calcium sulfate dihydrate	CaSO_4 name: ?

On each Report Form write the formulas for each Reactant and the name of the corresponding Product as shown on next slide

Nomenclature & Formulas

<http://www.chemconnections.org/general/chem108/Nomenclature.htm>

Write the formulas in the boxes on your form noted below, and the names of the Products in the respective boxes next to them. Review everyone's formulas and names for correctness.

Reactant (Possible Unknowns)	Salt Product
a) sodium hydrogen carbonate	Na_2CO_3 name: ?
b) potassium hydrogen carbonate	K_2CO_3 name: ?
c) barium chloride dihydrate	BaCl_2 name: ?
d) calcium sulfate dihydrate	CaSO_4 name: ?

Compounds with more than two different elements

- Polyatomic ions:

<http://chemconnections.org/general/chem120/polyatomics.html>

Common Polyatomic Ions			
Ion	Name	Ion	Name
Hg_2^{2+}	Mercury(I)	NCS^-	Thiocyanate
NH_4^+	Ammonium	CO_3^{2-}	Carbonate
NO_2^-	Nitrite	HCO_3^-	Hydrogen carbonate (bicarbonate is a widely used common name)
NO_3^-	Nitrate		
SO_3^{2-}	Sulfite	ClO^-	Hypochlorite
SO_4^{2-}	Sulfate	ClO_2^-	Chlorite
HSO_4^-	Hydrogen sulfate (bisulfate is a widely used common name)	ClO_3^-	Chlorate
OH^-	Hydroxide	ClO_4^-	Perchlorate
CN^-	Cyanide	$\text{C}_2\text{H}_3\text{O}_2^-$	Acetate
PO_4^{3-}	Phosphate	MnO_4^-	Permanganate
HPO_4^{2-}	Hydrogen phosphate	$\text{Cr}_2\text{O}_7^{2-}$	Dichromate
H_2PO_4^-	Dihydrogen phosphate	O_2^{2-}	Peroxide
		$\text{C}_2\text{O}_4^{2-}$	Oxalate

Today's Experiment What's My Formula?

Nomenclature & Formulas

<http://www.chemconnections.org/general/chem108/Nomenclature.htm>

Reactant (Possible Unknowns)	Salt Product
a) sodium hydrogen carbonate NaHCO_3	Na_2CO_3 name: ? sodium carbonate
b) potassium hydrogen carbonate KHCO_3	K_2CO_3 name: ? potassium carbonate
c) barium chloride dihydrate $\text{BaCl}_2 \cdot 2\text{H}_2\text{O}$	BaCl_2 name: ? barium chloride
d) calcium sulfate dihydrate $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$	CaSO_4 name: ? calcium sulfate

Nomenclature & Formulas

<http://www.chemconnections.org/general/chem108/Nomenclature.htm>

- Each of you choose 1 of the possible unknowns a., b., c., or d. Be sure the choices are all different.

1. Choose one of the possible unknowns a., b., c., or d. Write the formula in the box and the name of the product in the box next to it.

Reactant (Possible Unknowns)

Salt Product

2. Choose one of the possible unknowns a., b., c., or d. Write the formula in the box and the name of the product in the box next to it.

Reactant (Possible Unknowns)

Salt Product

What's My Formula?

Unknowns
 NaHCO_3
 $2 \text{NaHCO}_3(s) \rightarrow \text{Na}_2\text{CO}_3(s) + \text{H}_2\text{O}(g) + \text{CO}_2(g)$
 a. Unknown Sample Salt

KHCO_3
 $2 \text{KHCO}_3(s) \rightarrow \text{K}_2\text{CO}_3(s) + \text{H}_2\text{O}(g) + \text{CO}_2(g)$
 b. Unknown Sample Salt

$\text{BaCl}_2 \cdot 2\text{H}_2\text{O}$
 $\text{BaCl}_2 \cdot 2 \text{H}_2\text{O}(s) \rightarrow \text{BaCl}_2(s) + 2 \text{H}_2\text{O}(g)$
 c. Unknown Sample Salt

$\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$
 $\text{CaSO}_4 \cdot 2 \text{H}_2\text{O}(s) \rightarrow \text{CaSO}_4(s) + 2 \text{H}_2\text{O}(g)$
 d. Unknown Sample Salt

Write the equation for your chemical reaction **exactly** as it is written above for your unknown on your form in the **Balanced Equation** box.

Nomenclature & Formulas

<http://www.chemconnections.org/general/chem108/Nomenclature.htm>

- Select the formula for the salt product that is produced from heating your unknown and clearly show a labeled calculation of the respective molar masses of the Reactant and the Product. **Record the molar masses of all eight compounds on each individual form: 4 starting reactants and 4 salt products.**

1. Unknown Number: _____

2. Mass Experimental Data: _____

3. Mass Experimental Data: _____

4. Mass Experimental Data: _____

5. Mass Experimental Data: _____

6. Mass Experimental Data: _____

7. Mass Experimental Data: _____

8. Mass Experimental Data: _____

1. Unknown Number: _____

2. Mass Experimental Data: _____

3. Mass Experimental Data: _____

4. Mass Experimental Data: _____

5. Mass Experimental Data: _____

6. Mass Experimental Data: _____

7. Mass Experimental Data: _____

8. Mass Experimental Data: _____

What's My Formula?

Unknowns

$\text{BaCl}_2 \cdot 2\text{H}_2\text{O}$
 $1 \text{BaCl}_2 \cdot 2 \text{H}_2\text{O}(s) \rightarrow 1 \text{BaCl}_2(s) + 2 \text{H}_2\text{O}(g)$
 1. Unknown Sample Salt

$\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$
 $1 \text{CaSO}_4 \cdot 2 \text{H}_2\text{O}(s) \rightarrow 1 \text{CaSO}_4(s) + 2 \text{H}_2\text{O}(g)$
 1. Unknown Sample Salt

NaHCO_3 ?
 $2 \text{NaHCO}_3(s) \rightarrow 1 \text{Na}_2\text{CO}_3(s) + \text{H}_2\text{O}(g) + \text{CO}_2(g)$?
 Unknown Sample Salt
 KHCO_3 ?
 $2 \text{KHCO}_3(s) \rightarrow 1 \text{K}_2\text{CO}_3(s) + \text{H}_2\text{O}(g) + \text{CO}_2(g)$?
 Unknown Sample Salt

Theoretical Calculations for Hydrates:
 1 mole hydrate = 1 mole Salt Product (Unknowns c. and d.)
Theoretical Mass of Salt Product = Molar Mass of Salt Product
 Unknowns a. and b. 1 mole hydrogen carbonate = 1/2 mole Salt Product

What's My Formula?

As a Group, calculate the Mass Percent Composition of the salt products relative to the respective starting unknown in each of the 4 possible unknowns: their respective Theoretical Mass equals the Molar Mass. Note that sodium hydrogen carbonate and potassium hydrogen carbonate have to include an adjustment for the difference in the number of moles produced relative to the starting reactant. Example:

$2 \text{NaHCO}_3(s) \rightarrow 1 \text{Na}_2\text{CO}_3(s) + \text{H}_2\text{O}(g) + \text{CO}_2(g)$
 Unknown Sample Salt

Theoretical Calculations for hydrogen carbonates:

$$\text{Mass Salt} = \text{Molar Mass Salt (g/mol)} \times \frac{1 \text{ mol salt}}{2 \text{ mol NaHCO}_3}$$

1 mole hydrogen carbonate = 1/2 mole Salt Product

$\text{Mass \% Salt} = \text{Theoretical Mass Salt} / \text{Molar Mass}_{\text{unknown}} \times 100$

Theoretical Mass & Mass % Salt Product

- Show clear calculations for the Mass % of the respective Salt Products for each of the 4 unknowns a., b., c., & d. Circle or highlight the Mass % for the unknowns on your form as shown below.

1. Unknown Number: _____

2. Mass Experimental Data: _____

3. Mass Experimental Data: _____

4. Mass Experimental Data: _____

5. Mass Experimental Data: _____

6. Mass Experimental Data: _____

7. Mass Experimental Data: _____

8. Mass Experimental Data: _____

1. Unknown Number: _____

2. Mass Experimental Data: _____

3. Mass Experimental Data: _____

4. Mass Experimental Data: _____

5. Mass Experimental Data: _____

6. Mass Experimental Data: _____

7. Mass Experimental Data: _____

8. Mass Experimental Data: _____

What's My Formula?

Your group is to obtain a minimum of 2 unknowns up to a maximum of 4 or 5 unknowns from Dr. R., then complete the procedure. Each of you will complete a data form for one unknown (replaces pg. 36)

1. Unknown Number: _____

2. Mass Experimental Data: _____

3. Mass Experimental Data: _____

4. Mass Experimental Data: _____

5. Mass Experimental Data: _____

6. Mass Experimental Data: _____

7. Mass Experimental Data: _____

8. Mass Experimental Data: _____

When your Group has completed the Mass % calculations, bring all of the completed pages to Dr. R. to get your unknowns.

On-line Post Lab: submit by end of next week
<http://chemconnections.org/general/chem108/What's%20My%20Formula.html>

What's My Formula?

Post Lab

*Required

Name: Last, First *

SWC id *

Post Lab:
Molar Comparisons of Analgesics

Calculating Moles : Doses (mmol/dose)

Which analgesic has the most biologically active ingredient based on millimoles per dose (mmol/dose)?





5.0 g of each would produce the following number of doses:

	Formula	Dose	mmol/dose
Aspirin	C ₉ H ₈ O ₂	15.0 g	?
Ibuprofen	C ₁₃ H ₁₈ O ₂	25.0 g	?
Naproxen Sodium	C ₁₅ H ₁₂ O ₃ Na	22.7 g	?
Acetaminophen	C ₉ H ₉ NO ₂	5.0 g	?

Molar Mass Aspirin = 180.1 g/mol
 5.0 g / 180.1 g/mol = 0.028 mol / 15 doses = 1.8 mmol/dose

What's My Formula? Identification

Unknowns



Experimental Calculation: (After completing the heatings)

$$\% \text{ Salt} = (\text{Mass sample} - \text{Mass after heating}) / \text{Mass sample} \times 100$$

Comparison to Mass % Calculations for a, b, c, d